

**APPLICATION FOR UNITED STATES LETTER PATENT**  
**FOR**  
**METHOD AND APPARATUS TO MONITOR USE OF A PROGRAM**

**Inventor(s): Eric Remer  
David King  
David Remer  
Bradley Mitchell**

**Prepared By: John F. Kacvinsky  
Senior Patent Attorney**

**intel.**

**Intel Corporation  
3500 Brooktree Road, Suite 100  
Wexford, PA 15090  
Phone: (724) 933-3387  
Facsimile: (724) 933-3350**

“Express Mail” label number EL034437016US

## METHOD AND APPARATUS TO MONITOR USE OF A PROGRAM

### BACKGROUND

5 Software programs are easily duplicated using conventional copying technologies. A software program typically comprises a set of instructions that are typically stored in some form of machine-readable media, such as magnetic disk, optical disk, random-access memory (RAM), read-only memory (ROM), and so forth. The task of copying these instructions from one machine-readable media to another is relatively trivial, and  
10 may be accomplished any number of ways.

Consequently, various technologies have been developed to control and manage the use of software. One goal of these technologies may be to facilitate the distribution and use of software by authorized users, while minimizing or preventing use of the software by unauthorized users. The term “authorized” may refer to those users  
15 permitted to use the software, while “unauthorized” may refer to those users not permitted to use the software. Basis for permission may be, for example, contingent upon paying a fee for use of the program.

One type of technology used to control and manage the distribution and use of software may be generally referred to as a “permission-based” technology. In  
20 permission-based technology, the program may have a user enter a passcode prior to allowing the program to execute. The passcode typically comprises a unique combination of alphanumeric characters or symbols. Thus, even if a user were to retrieve an unauthorized copy of the program, it would not operate without the appropriate passcode.

Permission-based technologies, however, are unsatisfactory for a number of reasons. For example, the user may have to undertake the administrative burden of retrieving the passcode prior to using a program. In addition, the user may have to enter the passcode prior to every use of the program. This may be tedious and time-consuming for the user, especially if they make frequent use of the protected software. Moreover, these administrative tasks may become much more burdensome when multiple copies of the program are being executed on multiple machines, such as in a corporate or network environment. Further, if the passcode was compromised unauthorized users may use the passcode to activate illegally copied versions of the software program.

In view of the foregoing, it can be appreciated that a substantial need exists for a method and/or apparatus that solves the above-discussed problems.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The subject matter regarded as embodiments of the invention is particularly pointed out and distinctly claimed in the concluding portion of the specification. Embodiments of the invention, however, both as to organization and method of operation, together with objects, features, and advantages thereof, may best be understood by reference to the following detailed description when read with the accompanying drawings in which:

FIG. 1 is a system suitable for practicing one embodiment of the invention.

FIG. 2 is a block diagram of a system in accordance with one embodiment of the invention.

FIG. 3 is a block flow diagram of the programming logic performed by a managing program module in accordance with one embodiment of the invention.

FIG. 4 is a block flow diagram of the programming logic performed by a monitored program module in accordance with one embodiment of the invention.

5 FIG. 5 is a block flow diagram of the programming logic performed by a monitoring program module in accordance with one embodiment of the invention.

### DETAILED DESCRIPTION

10 In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the embodiments of the invention. It will be understood by those skilled in the art, however, that the embodiments of the invention may be practiced without these specific details. In other instances, well-known methods, procedures, components and circuits have not been described in detail so as not to  
15 obscure the embodiments of the invention.

The embodiments of the invention comprise a method and apparatus to securely monitor use of a software program over a network. More particularly, the embodiments of the invention may authorize use of a software program, monitor the use of a software program, and measure the time the software program is in authorized use. The owner  
20 may use the measured time for any number of purposes, such as reporting, billing, tracking and so forth.

The embodiments of the invention may reduce the disadvantages associated with conventional permission-based technologies. For example, the user may no longer need

to procure and input a passcode prior to using the software program. This may potentially reduce the administrative burden on an authorized user, as well as the risk of a passcode being utilized by unauthorized users. In another example, the costs or fees for use of the software program may vary as usage varies, to more accurately reflect the true commercial value of the software program. This may provide advantages over previous techniques that attempt to gain value from the software program by, for example, selling a single or multi-user license for the software program.

It is worthy to note that any reference in the specification to “one embodiment” or “an embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the invention. The appearances of the phrase “in one embodiment” in various places in the specification are not necessarily all referring to the same embodiment.

Referring now in detail to the drawings wherein like parts are designated by like reference numerals throughout, there is illustrated in FIG. 1 a system suitable for practicing one embodiment of the invention. FIG. 1 is a block diagram of a system 100 comprising a network 102, a network 114 and a network server 118. In one embodiment of the invention, network 102 may comprise network nodes 104, 106 and 108, with each capable of communicating with each other over a communication medium 110. Network nodes 104, 106 and 108 may comprise, for example, a personal computer, server, network appliance, gateway, router, switch and so forth. Network 102 may be capable of communicating with network 114 over communication medium 112. Network 114 may comprise one or more network nodes (not shown) that are capable of communicating information from network 102 to network server 118. Network 114 may be capable of

communicating with network server 118 over communication medium 116. In this embodiment of the invention, network 100 and its various component parts may be configured to operate in accordance with any number of networking technologies, and may include, for example, the various hardware, software and connectors necessary to communicate information between network nodes. In one embodiment of the invention, network 100 is configured to communicate information in accordance with the Transmission Control Protocol (TCP) as defined by the Internet Engineering Task Force (IETF) standard 7, Request For Comment (RFC) 793, adopted in September, 1981, and the Internet Protocol (IP) as defined by the IETF standard 5, RFC 791, adopted in September, 1981, both available from "[www.ietf.org](http://www.ietf.org)" ("TCP/IP Specification").

FIG. 2 is a block diagram of a system 200 in accordance with one embodiment of the invention. System 200 may be representative of a network node, such as network nodes 104, 106 and 108, and network server 118, for example. As shown in FIG. 2, system 200 includes a processor 202, an input/output (I/O) adapter 204, an operator interface 206, a memory 210 and a disk storage 218. Memory 210 may store computer program instructions and data. The term "program instructions" may include computer code segments comprising words, values and symbols from a predefined computer language that, when placed in combination according to a predefined manner or syntax, cause a processor to perform a certain function. Examples of a computer language may include C, C++, lisp and assembly. Processor 202 executes the program instructions, and processes the data, stored in memory 210. Disk storage 218 stores data to be transferred to and from memory 210. I/O adapter 204 communicates with other devices and transfers data in and out of the computer system over connection 224. Operator interface

206 may interface with a system operator by accepting commands and providing status information. All these elements are interconnected by bus 208, which allows data to be intercommunicated between the elements. I/O adapter 204 represents one or more I/O adapters or network interfaces that can connect to local or wide area networks such as, for example, the networks described in FIG. 1. Therefore, connection 224 represents a network or a direct connection to other equipment.

Processor 202 can be any type of processor capable of providing the speed and functionality required by the embodiments of the invention. For example, processor 202 could be a processor from family of processors made by Intel Corporation, Motorola Incorporated, Sun Microsystems Incorporated, Compaq Computer Corporation and others. Processor 202 may also comprise a digital signal processor (DSP) and accompanying architecture, such as a DSP from Texas Instruments Incorporated.

In one embodiment of the invention, memory 210 and disk storage 218 may comprise a machine-readable medium and may include any medium capable of storing instructions adapted to be executed by a processor. Some examples of such media include, but are not limited to, read-only memory (ROM), random-access memory (RAM), programmable ROM, erasable programmable ROM, electronically erasable programmable ROM, dynamic RAM, magnetic disk (e.g., floppy disk and hard drive), optical disk (e.g., CD-ROM) and any other media that may store digital information. In one embodiment of the invention, the instructions are stored on the medium in a compressed and/or encrypted format. As used herein, the phrase “adapted to be executed by a processor” is meant to encompass instructions stored in a compressed and/or encrypted format, as well as instructions that have to be compiled or installed by an

installer before being executed by the processor. Further, system 200 may contain various combinations of machine-readable storage devices through various I/O controllers, which are accessible by processor 202 and which are capable of storing a combination of computer program instructions and data.

5           Memory 210 is accessible by processor 202 over bus 208 and includes an operating system 216, a program partition 212 and a data partition 214. In one embodiment of the invention, operating system 216 may comprise an operating system sold by Microsoft Corporation, such as Microsoft Windows<sup>®</sup> 95, 98, 2000 and NT, for example. Program partition 212 stores and allows execution by processor 202 of  
10   program instructions that implement the functions of each respective system described herein. Data partition 214 is accessible by processor 202 and stores data used during the execution of program instructions.

          Program partition 212 may contain program instructions that may be collectively referred to herein as a monitored program module, a managing program module and a  
15   monitoring program module. Of course, the scope of the invention is not limited to this particular set of instructions or groupings of instructions.

          In one embodiment of the invention, the monitored program module may reside in the program partition 212 of a system 200 operating as a network node that is part of network 102, such as network node 104, for example. The monitored program module  
20   operates to communicate with the managing program module to periodically request authorization to execute a target software program. A target software program as used herein may refer to any software application or program to be monitored for usage. In



one embodiment of the invention, the target software program may reside in program partition 212 of network node 104 with the monitored program module, for example.

In one embodiment of the invention, the monitored program module may comprise a combination of instructions added to a target software program and  
5 instructions stored as part of a usage library. The term “usage library” as used herein may refer to one or more predefined programming modules available for use by the target software program. In this embodiment of the invention, the predefined programming modules may perform the functions of creating a request for authorization to execute message, sending the request to the managing program, receiving an authorization  
10 message with a time interval, receiving a termination message, monitoring a clock to send another authorization message with a time interval, and so forth. Upon activation, the modified target software program may make software calls to one or more predefined programming modules that form the usage library at appropriate times during the execution cycle of the modified target software program. A software call may refer to a  
15 request by one program module for execution of instructions stored as part of another program module.

In one embodiment of the invention, the managing program module may reside in program partition 212 of a system 200 operating as the same or another network node that is part of network 102, such as network node 106, for example. The monitored  
20 program module operates to communicate with the monitored program module to authorize and track usage of the target software program. The managing program module also communicates with the monitoring program module to communicate usage time for

a monitored program. The term “usage time” as used herein refers to the length of time a monitored program is in authorized use or is being executed with authorization.

In one embodiment of the invention, the monitoring program module may reside in program partition 212 of a system 200 operating as a network server, such as network server 118, for example. The monitoring program module operates to communicate with the managing program module to receive time usage information and report the time usage information to an interested party. For example, the monitoring program module may use the time usage information to calculate a cost for using the target software program and bill the appropriate party accordingly.

10 In one embodiment of the invention, I/O adapter 204 may comprise a network adapter or network interface card (NIC) configured to operate using any suitable technique for controlling communication signals between computer or network devices using a desired set of communications protocols, services and operating procedures, for example. In one embodiment of the invention, I/O adapter 204 may operate, for example, 15 in accordance with the TCP/IP Specification. Although I/O adapter 204 may operate in accordance with the TCP/IP Specification, it can be appreciated that I/O adapter 204 may operate with any suitable technique for controlling communication signals between computer or network devices using a desired set of communications protocols, services and operating procedures, for example, and still fall within the scope of the invention.

20 I/O adapter 204 also includes appropriate connectors for connecting interface 216 with a suitable communications medium. I/O adapter 204 may receive communication signals over any suitable medium such as copper leads, twisted-pair wire, co-axial cable, fiber optics, radio frequencies, and so forth.

The operations of systems 100 and 200 may be further described with reference to FIGS. 3, 4 and 5 with accompanying examples. Although FIGS. 3, 4 and 5 presented herein may include a particular processing logic, it can be appreciated that the processing logic merely provides an example of how the general functionality described herein can be implemented. Further, each operation within a given processing logic does not necessarily have to be executed in the order presented unless otherwise indicated.

FIG. 3 is a block flow diagram of the programming logic performed by a managing program module in accordance with one embodiment of the invention. The term managing program module refers to the software and/or hardware used to implement the functionality for authorizing and recording the time a target software program is in authorized use or is being executed with authorization as described herein. In this embodiment of the invention, network node 106 may perform the functionality described with reference to the managing program module. It can be appreciated that this functionality, however, may be implemented by any device, or combination of devices, located anywhere in a communication network and still fall within the scope of the invention.

FIG. 3 illustrates a programming logic 300 that when executed by a processor, such as processor 202, may perform the functionality described therein. A determination is made as to whether a monitored program is authorized to execute at block 302. The term “monitored program” as used herein may include a target software program. A usage time for the monitored program is measured at block 304. The usage time is sent to a monitoring program at block 306.

In one embodiment of the invention, the determination at block 302 may be performed using a periodic authorization process. For example, a request for authorization to execute is received from the monitored program. The monitored program is authorized to execute for a time interval. The term "time interval" as used

5 herein may refer to a time period during which the monitored program may be authorized to execute. The time interval is sent to the monitored program. This process may continue on a periodic basis until a terminating event has occurred. Once the terminating event occurs, the time intervals for each repeated process may be added together to form the usage time. For example, if three time intervals were sent to the monitored program

10 prior to the terminating event, the three time intervals would be added together to form the usage time. It can be appreciated that the time intervals may be the same or different and still fall within the scope of the invention.

In one embodiment of the invention, the terminating event may comprise receiving a message indicating use or execution of the program has stopped. For

15 example, the monitored program may receive an instruction to terminate execution by a user. Prior to terminating, the monitored program may send a message to the managing program indicating that the monitored program has received a terminating instruction and therefore will no longer be executing.

In one embodiment of the invention, the terminating event may comprise failing

20 to receive another request for authorization to execute within the time interval. This may occur, for example, if the monitored program has prematurely terminated without time to send a termination message to the managing program, such as in the event of a power failure or computer malfunction.

In one embodiment of the invention, the monitored program and the managing program communicate with each other using a secure method. One example of a secure method may be an encryption/decryption scheme. For example, the monitored program and managing program may communicate to each other using messages

5 encrypted/decrypted in accordance with various security schemes. One embodiment of the invention may use a symmetric scheme, for example. A symmetric scheme as used herein may refer to a security scheme where both parties use the same security code or “key” to encrypt and/or decrypt a secure message. In one embodiment of the invention, the monitored program and managing program are configured to communicate

10 information using a symmetric scheme in accordance with the Data Encryption Standard (DES) or Triple DES (TDES) as defined by the National Institute of Standards and Technology, Federal Information Processing Standards Publication 46-3, October 25, 1995, and available from “<http://csrc.nist.gov/cryptval/des/desval.html>” (“DES Specification”), although the embodiments of the invention are not limited in this context.

15 Once a usage time has been determined, the managing program may send the usage time to a monitoring program. The monitoring program may reside at a computer or server other than the monitored program or the managing program, although the invention is not limited in this context. In one embodiment of the invention, the managing program and the monitoring program both reside at a computer or server

20 capable of communicating information in accordance with the TCP/IP Specification. More particularly, the managing program may request a connection formed in accordance with the Hypertext Transfer Protocol (HTTP) as defined by the IETF draft standard RFC 2616, June 1999 (“HTTP Specification), and the Secure HTTP (S-HTTP) as defined by

the IETF experimental standard RFC 2660, August 1999 ("S-HTTP Specification), both available from "[www.ietf.org](http://www.ietf.org)," although the embodiments of the invention are not limited in this context. Once connection is made, the usage time may be sent to the monitoring program over the connection.

5           Similar to the communications between the monitored program and the managing program, communications between the managing program and the monitoring program may be secure communications. One example of a secure method may be an encryption/decryption scheme. For example, the managing program and monitoring program may communicate to each other using messages encrypted/decrypted in  
10   accordance with various security schemes. One embodiment of the invention may use an asymmetric scheme. An asymmetric scheme as used herein may refer to a security scheme where both parties use different keys to encrypt and/or decrypt a secure message. In one embodiment of the invention, the managing program and monitoring program are configured to communicate information using an asymmetric scheme in accordance with  
15   the Secure Sockets Layer (SSL) Protocol Version 3.0 Internet draft as defined by the IETF, November 1996 ("SSL Specification"), or the Transport Layer Security (TLS) Protocol draft standard as defined by the IETF RFC 2246, January 1999 ("TLS Specification), both available from "[www.ietf.org](http://www.ietf.org)," although the embodiments of the invention are not limited in this context. Furthermore, the monitoring program may act  
20   as a single trusted source that may issue a certificate of authority for use by the managing program to, for example, authenticate the IP address for the monitored program, managing program or monitoring program.

It is worthy to note that although particular embodiments of the invention may use symmetric or asymmetric security schemes, it can be appreciated that any security scheme may be used to communicate information between the monitored program, the managing program and the monitoring program, and still fall within the scope of the  
5 embodiments of the invention.

The managing program may authorize execution for a monitored program in a number of different ways. For example, the managing program may have an authorization table in memory. The authorization table may include, for example, a name for the monitored program, whether the monitored program is authorized to execute, and  
10 a predetermined time interval associated with the monitored program. An example of an authorization table is shown in Table 1 below.

**TABLE 1**

<b><u>Monitored Program</u></b>	<b><u>Authorization</u></b>	<b><u>Time Interval</u></b>
Program 1	Yes	10 minutes
Program 2	Yes	1 hour
Program 3	Yes	1 day
Program 4	No	NA

15 Once the managing program receives a request for authorization to execute from the monitored program, the managing program may search the authorization table using the program name. Once the program name is found, the managing program may determine whether the monitored program is authorized to execute, and if so, it may

retrieve a predetermined time interval for the monitored program to execute. The managing program may then send the time interval to the monitored program.

For example, if the monitored program is identified as "Program 1," the managing program may use the authorization table to determine that Program 1 is authorized to execute, and retrieve the corresponding time interval of 10 minutes. The managing program may then send the time interval of 10 minutes to the monitored program. The monitored program would then know that it must send another request for authorization to execute message within 10 minutes to continue executing, or else it may be terminated. In another example, if the monitored program is identified as "Program 4," the managing program may use the authorization table to determine that Program 4 is not authorized to execute. The managing program may then respond in a number of ways, such as seeking authorization for the monitored program from the monitoring program, recording the number of attempts a monitored program seeks to request authorization, or send a termination message to the monitored program.

It can be appreciated that Table 1 is illustrative in nature and that the embodiments of the invention are not limited in this context. For example, the authorization table may omit a field for "Authorization" and merely use the field for "Time Interval" to imply whether authorization is granted. For example, the field for "Time Interval" may contain a default value that may be defined to mean authorization was not permitted, such as "NA" or "0".

Furthermore, it can be appreciated that the length of the time interval may vary according to a particular network or system configuration. As a general matter, the shorter the time interval the more accurate the usage time may be determined. For



example, if a monitored program were to terminate prematurely, a smaller time interval would approximate total usage time for the monitored program more accurately than a larger time interval. This may be particularly important if a user were charged for use of a monitored program based on the usage time, for example.

5           FIG. 4 is a block flow diagram of the programming logic performed by a monitored program module in accordance with one embodiment of the invention. The term monitored program module refers to the software and/or hardware used to implement the functionality for requesting authorization to execute, and if necessary terminating the monitored program, as described further herein. In this embodiment of  
 10 the invention, network node 104 may perform the functionality described with reference to the monitored program module. It can be appreciated that this functionality, however, may be implemented by any device, or combination of devices, located anywhere in a communication network and still fall within the scope of the invention.

FIG. 4 illustrates a programming logic 400 that when executed by a processor,  
 15 such as processor 202, may perform the functionality described therein. A determination is made as to whether a monitored program has authorization to execute at block 402. At block 404, the monitored program is executed in accordance with the determination at block 402.

In one embodiment of the invention, the determination at block 402 may comprise  
 20 a query to a managing program. For example, the monitored program may send a message to the managing program requesting authorization to execute. The managing program may respond by sending the monitored program authorization to execute, along with a time interval for execution. This process may be repeated by having the monitored

program send another request for authorization prior to the received time interval. In other words, the monitored program may execute as long as it receives proper authorization from the managing program in the form of a received message with a time interval. Once the monitored program is finished executing, such as when it receives a request to terminate from a user, the monitored program may send a termination message to the managing program. The termination message may inform the managing program that execution of the monitored program has been terminated.

In one embodiment of the invention, the monitored program may be instructed to terminate if the monitored program fails to receive an authorization message and time interval from the managing program within a predetermined time period. The predetermined time period may be any desired period of time, e.g., 10 minutes. In another embodiment of the invention, the monitored program may be instructed to terminate if the monitored program fails to receive an authorization message and time interval from the managing program after a predetermined number of requests for authorization to execute without reply. In both cases, the failure to receive an authorization message from the managing program may indicate that the monitored program is no longer running in a secure environment and therefore reliable usage time may not be guaranteed by the monitoring process.

FIG. 5 is a block flow diagram of the programming logic performed by a monitoring program module in accordance with one embodiment of the invention. The term monitoring program module refers to the software and/or hardware used to implement the functionality for monitoring usage time for a monitored program as described herein. In this embodiment of the invention, network server 118 may perform

the functionality described with reference to the monitored program module. It can be appreciated that this functionality, however, may be implemented by any device, or combination of devices, located anywhere in a communication network and still fall within the scope of the invention.

5           FIG. 5 illustrates a programming logic 500 that when executed by a processor, such as processor 202, may perform the functionality described therein. A usage time for a monitored program is received over a network connection at block 502. The usage time may be reported to a user corresponding to the monitored program at block 504. For example, a user profile may be associated with each monitored program. The user profile  
 10           may contain, for example, information regarding authorized users of the monitored program, a person responsible for paying for use of the monitored program, costs associated with using the monitored program, a billing address for the responsible person, and so forth. The monitoring program may use the user profile to automatically  
 15           determine a cost value for use of the monitored program based on the usage time, and send a bill to the person responsible for paying for such use. The term “automatically” as used herein refers to performing the stated function without human intervention.

          In addition, the monitoring program may create, manage and update authorization tables for the managing program. For example, if a new monitored program were to be managed by the managing program, the appropriate information would be added to the  
 20           authorization table for the managing program. In one embodiment of the invention, this could be accomplished by sending the modifications to the managing program and having the managing program update its own authorization table. In another embodiment of the invention, the monitoring program may send a new authorization table to the managing

program to replace the previous authorization table. In both cases, the monitoring program may update the authorization on a periodic basis, or when the monitoring program receives a modification request from, for example, the managing program or an authorized user as defined in the user profile.

- 5           While certain features of the embodiments of the invention have been illustrated as described herein, many modifications, substitutions, changes and equivalents will now occur to those skilled in the art. It is, therefore, to be understood that the appended claims are intended to cover all such modifications and changes as fall within the true spirit of the embodiments of the invention.

10

10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 26